

DONE RIGHT.®

At DR Power Equipment, we are dedicated to making the experience of caring for your property better. Our guiding vision is to craft innovative machines of enduring quality and uncompromising performance, each worthy of legendary status. We believe every minute spent working outdoors can be more productive, more enjoyable, and more satisfying when you have the right tools.



**DR MAKES THE PRODUCT...
YOUR DR DEALER MAKES THE DIFFERENCE!**

©2014 CHP, Inc. M14005



SEEING IS BELIEVING.



2014 PRODUCT CATALOG

Field and Brush Mowers • Leaf and Lawn Vacuums • Log Splitters • Power Graders • Powerwagons • Chippers and Chipper Shredders
Roto-Hog™ Power Tillers • Stump Grinders • Trimmer Mowers • Versa-Trailers • TreeChoppers • Lawn Aerators

WE BELIEVE.

We start with a purpose. Designing each machine for how and where it will be used. During the engineering process, we follow the no-nonsense principle that sophistication should lead to simplicity. Nothing is added unless it helps you work smarter and makes your job easier. Only then do we build, using the most time-tested manufacturing techniques. The result is a machine that gets the job done — and gets it done right.



CREATE MEADOWS AND GET RID OF UNRULY BRUSH.



For all-around versatility, nothing beats the Self-Propelled DR® Field and Brush Mower.

It's narrow enough to take into the woods, but wide enough to yield a cut of up to 30". Wide tires smooth out bumpy terrain and dig in when the going gets rough. High-torque engines provide the power to take out anything that grows — even if it's 3" thick. And a selection of easy-on/easy-off powered attachments lets you do more, all year round.

So clear a trail, take back a meadow, or thin an overgrown woodlot. With a Self-Propelled DR® Field and Brush Mower, the ways to improve your property are endless.

DISC BRAKE (PRO and PRO-XL models) can be locked in place to keep the machine from rolling when parked on an incline.

HEAVY-DUTY 3/4"-STEEL BLADE SPINDLE is mounted on ball bearings at both the top and bottom of the shaft.

GEAR-DRIVEN TRANSMISSION provides multiple ground speeds to match your walking pace, plus power reverse.

LOCKING DIFFERENTIAL...locks with a lever at the control panel for maximum traction... unlocks for easy turning. (PREMIER model uses standard differential.)

SEALANT-FILLED HIGH FLOTATION LUG TIRES
An aggressive tread provides excellent traction while the wide tire (6.5") minimizes ground compaction. Tires are filled with a liquid sealant that fills punctures and prevents leaking.

PIVOTING MOWER DECK (PRO and PRO-XL models) follows the contours of the ground by pivoting 12 degrees to each side. This minimizes scalping and helps improve traction by keeping more weight on the drive wheels.

MULTI-PURPOSE BRUSH BLADE cuts everything from weeds and grass, to thick brush and saplings.

ELECTRIC CLUTCH FOR BLADE ENGAGEMENT (PRO and PRO-XL models) enables you to drive the mower without the blade turning. Engages/disengages with the push/pull of a button at the control panel.

PROTECTED BY A 2-YEAR WARRANTY against defects in materials and workmanship in residential use; 90 days commercial use.

Cut 8-foot weeds, brush,
tough saplings, and more!



20.0 HP MODEL

12.5 HP PREMIER #FBM125MN ...our lightest-weight, easiest-handling model.

24"-wide cut • Cuts 4-foot high grass; 8-foot high weeds & brush; 2"-thick saplings • 3 speeds, power reverse • 14" x 6" knobby, sealant-filled tires • 225 lbs. • Manual-Starting • Does not accept optional attachments

12.5 HP BRIGGS & STRATTON POWERBUILT OHV ENGINE:

Overhead valve, cast-iron cylinder sleeve, 3-quart fuel tank, anti-vibration system, 2-year engine warranty for residential use; 1 year for commercial use.

12.5 HP PRO #FBM125XN ...light weight and extra wide to save you time.

26"-wide cut • Cuts 4-foot high grass; 8-foot high weeds & brush; 2"-thick saplings • 4 speeds, power reverse • 18" x 6.5" knobby, sealant-filled tires • 313 lbs. • Manual-Starting • Accepts optional attachments

12.5 HP BRIGGS & STRATTON POWERBUILT OHV ENGINE:

Overhead valve, cast-iron cylinder sleeve, 3-quart fuel tank, anti-vibration system, 2-year engine warranty for residential use; 1 year for commercial use.

14.5 HP PRO #FBM145EN

...the extra muscle you need to tackle big jobs FAST.

26"-wide cut • Cuts 4-foot high grass; 8-foot high weeds & brush; 2.5"-thick saplings • 4 speeds, power reverse • 18" x 6.5" knobby, sealant-filled tires • 334 lbs. • Electric-Starting • Accepts optional attachments

14.5 HP BRIGGS & STRATTON INTEK ENGINE: Overhead valve, cast-iron cylinder sleeve, 2.5-gallon fuel tank with fuel gauge, anti-vibration system, spin-on oil filter, full-pressure oil lubrication, 2-year engine warranty for residential use; 1 year for commercial use.

16.5 HP PRO #FBM165EN

...ideal for extra tough jobs.

26"-wide cut • Cuts 6-foot high grass; 8-foot high weeds & brush; 2.5"-thick saplings • 4 speeds, power reverse • 18" x 6.5" knobby, sealant-filled tires • 342 lbs. • Electric-Starting • Accepts optional attachments

16.5 HP BRIGGS & STRATTON PROFESSIONAL SERIES ENGINE: Overhead valve, cast-iron cylinder sleeve, 2.5-gallon fuel tank with fuel gauge, anti-vibration system, spin-on oil filter, full-pressure oil lubrication, pulse-type fuel pump, in-line fuel filter, 2-year engine warranty for residential use; 1-year for commercial use.

20.0 HP PRO-XL #FBM200EN

...maximum power and the fastest results.

26"-wide cut • Cuts 6-foot high grass; 8-foot high weeds & brush; 3"-thick saplings • 4 speeds, power reverse • 18" x 6.5" knobby, sealant-filled tires • 358 lbs. • Electric-Starting • Accepts optional attachments

20.0 HP BRIGGS & STRATTON V-TWIN ENGINE: Overhead valve, 2 cast-iron cylinder sleeves, 2.5-gallon fuel tank with fuel gauge, anti-vibration system, spin-on oil filter, full-pressure oil lubrication, pulse-type fuel pump, in-line fuel filter, 2-year engine warranty for residential use; 1 year for commercial use.

This model also available with optional 30"-wide deck, instead of standard 26"-wide deck.



PROFESSIONAL POWER DONE RIGHT

VERSATILITY



TURN YOUR MACHINE INTO A
**4-SEASON
WORKHORSE.**



42" LAWN MOWER
Cuts a clean, even, 42"-wide swath and mows a half-acre lawn in about 30 minutes. Front caster wheels swivel for fast, tight turns. Deck is made of 12-gauge steel with 2 high-lift mulching blades. Easily converts from side-discharge to mulching. Height adjustment from 2" to 4-1/2".



CHIPPER
Just start the engine to engage the 18-pound flywheel. The heavy flywheel spins with tremendous inertia for smooth chipping. And the single chipping knife takes up to 40 bites per second, for quickly devouring tough, hardwood branches. Now you can rid your property of unsightly brush piles.



SNOW THROWER
Throw snow off long driveways and walkways with our single-stage, 30"-wide Snow Thrower attachment. The powerful auger quickly chews through dry or wet snow, and towering snowdrifts. Throws snow up to 30 feet. Adjustable skid shoes.



GRADER/SNOW BLADE
Mount this 42"-wide Blade to spread and level loose gravel, topsoil, sand and more. (Not for use moving packed material.) Works great in snow, too. Made of 11-gauge steel for strength.



**DR® FIELD and
BRUSH MOWER
POWER UNIT**

Attachments not available for PREMIER model.

**ATTACHMENTS SLIDE
ON AND OFF, FOR
EASY CHANGE-OUT.**



We designed our larger self-propelled Field and Brush Mower models with a unique coupling system that makes it easy to add versatile attachments. Just slide off the brush deck and slide the attachment onto the power unit shaft, slip the belt over the attachment's drive pulley, and lock the attachment in place with a locking pin.



All DR® Field and Brush Mowers are shipped standard with the Brush Deck.



RIDING MOWER & ATV OWNERS:

HOOK IT TO YOUR ATV OR LAWN TRACTOR AND MOW... WHILE YOU RIDE!

Got big areas to clear? Want to mow in ride-on comfort? Look no further than the Tow-Behind DR® Field and Brush Mower.

Cutting a 44"-wide swath, this rugged mower is an easy haul for your ATV, riding mower or utility tractor. The articulating hitch can be set straight or offset to the left or right; 50%, 75% or 100% outside the path of your towing vehicle. An overhead valve engine ensures the swinging blades have the power to slice through woody material up to 2" in diameter. And a deep deck and open discharge chute keep you moving forward without clogging.

Hook up with a Tow-Behind model and enjoy the ride. It's the fastest way to take back your overgrown property.

44"-WIDE CUT Mow up to 2 acres of open meadow or pasture per hour.

ARTICULATING OUTRIGGER™ HITCH allows the mower to be offset to either side, so the towing vehicle can drive in the clear while the mower takes down the tough stuff.

SWINGING BRUSH BLADES Replaceable, Pro-Tek™ swinging blades pivot when they hit an immovable object. This protects the blade spindle and the engine from damage.

WELDED MOWING DECK Made of 1/8"-thick steel (11-gauge) for maximum strength and longevity in rugged, field mowing conditions. The deck's funnel shape provides extra strength and rigidity, while creating a non-clogging discharge out the back.

SEALANT-FILLED TIRES If a tire is punctured by a sharp stick, stubble or rock, a sealant instantly plugs the hole so you can keep working.

ELECTRIC CLUTCH The electric clutch enables you to engage and disengage the blade with the push or pull of a button located on the remote control box. Far easier to engage/disengage, no maintenance, and far greater durability than idler-belt clutches.

GET ATTACHED TO MOST ANY TOWING VEHICLE


Our unique Versa-Hitch™ makes it easy to hook up to ATVs, riding mowers and tractors with a pin hitch, regardless of the height of the vehicle hitch.

TOWING VEHICLES ATVs, UTVs, utility tractors, lawn and garden tractors. (Tractors: minimum 14 HP and/or 400 lbs.)

PROTECTED BY A 2-YEAR WARRANTY against defects in materials and workmanship in residential use; 90 days commercial use.



16.5 HP MODEL



20 HP MODEL

12.5 HP PREMIER #TBM125MN

...mows brush, saplings, and tall grass with ease!

Cuts 4-foot grass; 1"-thick saplings; 18" x 6.5" knobby, sealant-filled tires; Manual-starting; 420 lbs.

12.5 HP BRIGGS & STRATTON POWERBUILT OHV ENGINE: Overhead valve, cast-iron cylinder sleeve, 3-quart fuel tank, 2-year engine warranty for residential use; 1 year for commercial use.

16.5 HP PRO #TBM165EN

...clears tough weeds, brush and springy saplings in a single pass.

Cuts 4-foot grass; 1-1/2"-thick saplings • 18" x 6.5" knobby, sealant-filled tires • Electric-Starting • 442 lbs.

16.5 HP BRIGGS & STRATTON PROFESSIONAL SERIES ENGINE: Overhead valve, cast-iron cylinder sleeve, 2.5-gallon fuel tank with fuel gauge, anti-vibration system, spin-on oil filter, full-pressure oil lubrication, pulse-type fuel pump, in-line fuel filter, 2-year engine warranty for residential use; 1-year for commercial use.

20 HP PRO-XL #TBM200EN

...more power for extra tough jobs and for faster cutting action.

Cuts 6-foot grass; 2"-thick saplings • 18" x 6.5" knobby, sealant-filled tires • Electric-Starting • 465 lbs.

20.0 HP BRIGGS & STRATTON V-TWIN ENGINE: Overhead valve, 2 cast-iron cylinder sleeves, 2.5-gallon fuel tank with fuel gauge, anti-vibration system, spin-on oil filter, full-pressure oil lubrication, pulse-type fuel pump, in-line fuel filter, 2-year engine warranty for residential use; 1 year for commercial use.

DR® RapidFire™ LOG SPLITTER

WORLD'S FASTEST SPLITTER

Slice through logs in just one second! The new DR® RapidFire™ Log Splitter slices through logs up to six times faster than ordinary log splitters. The key is rugged and proven industrial technology repurposed for the task of splitting wood. The DR® RapidFire™ Splitter replaces hydraulics with two massive cast iron flywheels and a rack and pinion system that delivers tremendous splitting power. Now you can split dense hardwood logs up to 30" in diameter in record time—knotty pieces too. Split up to one cord in one hour...cord after cord, season after season.

HARDENED STEEL RAM

The machined and hardened steel ram propels the log through the wedge and then automatically retracts in 2 seconds!

CUTTING EDGE POWER PLANT

The 6 HP high-tech chain-driven overhead cam Subaru engine produces an astounding 8.34 ft. lbs. torque.

RAPID FEEDING AND PROCESSING

The optional Steel Work Table provides a stable surface for positioning logs and is flared for easy ejection of split cordwood.

TAKE IT WHEREVER YOU NEED IT

16" tires allow you to move the DR® RapidFire™ where you need it.



PRO-XL MODEL
shown with optional
Steel Work Table

PRO MODEL

RapidFire™

PRO Model #WDSRXAN

Splitting Power: Outsplits any 28-Ton Hydraulic • Max. log length: 24" • Cycle Time: 3 seconds (1 second extend stroke, 2 seconds retract stroke) • Wedge Height: 6.25"

5.8 HP DR ENGINE: Manual-Starting, Overhead cam, cast-iron cylinder sleeve, anti-vibration system, 2-year engine warranty for residential use; 1 year for commercial use.

PRO-XL Model #WDSRXMN

Splitting Power: Outsplits any 34-Ton Hydraulic • Max. log length: 24" • Cycle Time: 3 seconds (1 second extend stroke, 2 seconds retract stroke) • Wedge Height: 6.25"

6 HP SUBARU ENGINE: Manual- or Electric-Starting, Overhead cam, cast-iron cylinder sleeve, anti-vibration system, 3-year engine warranty for residential use; 1 year for commercial use.



DR® DUAL-ACTION LOG SPLITTERS

SPLIT YOUR LOG-SPLITTING TIME IN HALF.

A simple insight has eliminated the downtime experienced with other splitters. Our heavy-duty hydraulic splitters are dual-action. The double-edged splitting wedge splits in both directions under constant hydraulic pressure, so there's no waiting for the ram to retract. Plus, it's easy to maneuver at HALF the weight of ordinary hydraulic splitters.

We've taken dual-action technology and delivered a complete line-up to fit virtually every homeowner's needs—whether you have a tractor and want 6-second cycle times from your tractor's 3 pt hitch, want a stand-alone gas model, or want the quiet, fume-free convenience of a powerful electric splitter you can run in the barn.

PLENTY OF POWER The 205cc Briggs and Stratton 900 series engine produces 9.0 ft-lbs torque easily powering the hydraulics and stands up to all-day usage, again and again.

RUGGED HYDRAULICS The hydraulic pump generates max pressure of 3800 psi in the cylinder. Steel piston compression seals provide consistent power year after year.

DUAL-ACTION SPLITTING Because the wedge travels in both directions you can split at least twice as fast as conventional hydraulic splitters.

EASY LOADING AND THE RIGHT HEIGHT A heavy-gauge steel rack provides a stable surface for positioning logs and a comfortable working height.

TOW IT ANYWHERE 18" tires are DOT approved allowing towing across town or to any part of your property.

15-TON GAS



10-TON ELECTRIC

3-POINT HITCH



DUAL-ACTION LOG SPLITTERS

15-TON GAS

#WDSDXMN

...tough and fast enough to split a winter's worth of dense hardwood in a weekend.

The Briggs & Stratton Overhead Valve 900 series engine produces an astounding 9 ft. lbs. torque for all-day power and low vibration. It doubles your productivity saving you time and gas!

15-Ton splitting force • 20" max. log length • 30" max. log diameter • 11 second cycle time

BRIGGS & STRATTON 900 SERIES ENGINE (9.0 ft-lbs torque): Overhead valve, cast-iron cylinder sleeve, 2 year engine warranty for residential use; 1 year for commercial use.

10-TON ELECTRIC

#WSDXXCN

...goes toe-to-toe with the big gas splitters!

The fastest electric splitter on the market and it plugs right into a regular 110V outlet. No fumes and no engine noise. Run it right in your garage or tow it anywhere.

10-Ton splitting force • 20" max. log length • 24" max. log diameter • 21 second cycle time

3-PT HITCH

#WSD3PXN

...delivers unprecedented splitting speed from your tractor's hydraulics – at least 3x faster than the competition.

Cycle times average 6 seconds (tractor dependant). Throw burly logs up to 24" in diameter onto the heavy-duty steel deck and watch your productivity go up by 300%. The splitter attaches in minutes to category 1 hitches with hydraulic couplings and there's no PTO pump to fuss with. For 25-65 HP tractors.

Up to 13-ton splitting force (tractor dependent) • 20" max. log length • 24" max. log diameter • 6 second cycle time

TRACTOR REQUIREMENTS: Category 1 with hydraulic couplings. 2500 PSI recommended.

PROFESSIONAL POWER DONE RIGHT

HORIZONTAL/VERTICAL VERSATILITY...

Change configuration in seconds!

With our Horizontal/Vertical splitters you can easily switch configurations with very little effort. While the horizontal position is normally the most convenient, really big logs can be too heavy to lift onto the splitting beam, and that's where the vertical position really helps. Just pull out a pin, rotate the machine and reinsert the pin.

In the vertical position you can simply maneuver the log into position (no need to lift it) and split it on the ground.

RUGGED HYDRAULICS The hydraulic pumps generates up to 3500 psi in the cylinders (up to 5"). Steel piston compression seals provide consistent power year after year.

BALL HITCH Standard on all Horizontal/Vertical models

EASY LOADING AT THE RIGHT HEIGHT A heavy-gauge steel rack provides a stable surface for positioning logs and a comfortable working height.

FENDERS Keep your machine clean in transport. Standard on all models.

PREMIUM ENGINES Our 22- and 28-Ton models feature a 6.5 HP Kohler engine. The 34-Ton model uses a commercial-grade, 9HP Subaru engine with overhead cam. This is a world class engine that is covered by a 5 YEAR WARRANTY (even in commercial use).

TOW IT ANYWHERE 16" tires are DOT approved allowing towing across town or to any part of your property.



28-TON MODEL

HORIZONTAL/VERTICAL LOG SPLITTERS

22-TON GAS

#WDS22XMN

...Split big logs in either horizontal or vertical position .

An easy-starting Kohler 6.5 HP engine powers the 2 stage pump (6.3 GPM), generating 3400psi of splitting force. Logs up to 30" in diameter and up to 25" long are no problem. And the 22-Ton model's 16-second cycle time makes it one of the fastest hydraulic splitters in its class.

22-Ton splitting force • 25" max. log length • 30" max. log diameter • 16 second cycle time

28-TON GAS

#WDS28XMN

...Split big logs in either horizontal or vertical position .

An easy-starting Kohler 6.5 HP engine powers the 2 stage pump (8.8 GPM), generating 3450psi of splitting force. Logs up to 30" in diameter and up to 25" long are no problem. And the 28-Ton model's 17-second cycle time makes it one of the fastest hydraulic splitters in its class.

28-Ton splitting force • 25" max. log length • 30" max. log diameter • 17 second cycle time

34-TON GAS

#WDS34XMN

...Split big logs in either horizontal or vertical position .

An easy-starting Subaru 9 HP engine powers the 2 stage pump (13.0 GPM), generating 3500psi of splitting force. Logs up to 30" in diameter and up to 25" long are no problem. And the 34-Ton model's 15-second cycle time makes it one of the fastest hydraulic splitters in its class.

34-Ton splitting force • 25" max. log length • 30" max. log diameter • 15 second cycle time

DEVOUR YARD AND GARDEN WASTE, PLUS BRANCHES!

Season after season, larger properties produce piles and piles of natural waste. Branches, leaves, garden waste, tree prunings, and brush can be a pain to dispose of . . . unless you turn them into useful mulch to nourish and protect your garden and lawn! Easily load your yard waste into the DR® Chipper Shredder and reap the benefits of the nutrient-rich mulch it produces.

TOOL-GRADE STEEL CHIPPER KNIFE made of high-carbon/ high-chromium forged alloy tool steel for exceptional strength and excellent edge-holding ability. Free-swinging shredding hammers pulverize gathered materials.

SOLID STEEL FLYWHEEL is cut from heavy steel and uses the latest in high-definition plasma-cutting technology. The result is a perfectly balanced flywheel that provides the inertia necessary to power through tough branches up to 4-1/2" thick on select models.

OVERSIZED HOPPER accepts larger materials with more side branches, reducing the time you spend preparing branches for chipping.

HEAVY-DUTY STEEL FRAME Many chippers look like they're built to sit in one place. Our DR® Chipper Shredders are made to be on the move. We use rugged, welded steel frames so you can get your chipper wherever you need to be on your property.

PROTECTED BY A 2-YEAR WARRANTY All DR® Chipper Shredders are guaranteed to be free from defects in materials and workmanship for 2 years in residential use; 90 days commercial use.



11.50 PREMIER

#30764

Even our smallest Chipper Shredder packs a punch!

2-1/2" Chipping Capacity; 1/4" Shredding Capacity

BRIGGS & STRATTON 1150 OVERHEAD VALVE ENGINE (11.50 ft-lbs. torque): 2-year engine warranty for residential use; 90 days for commercial use.

14.50 PRO

#30765

Professional Chipping and Shredding Performance!

3" Chipping Capacity; 3/8" Shredding Capacity

BRIGGS & STRATTON OVERHEAD VALVE ENGINE (14.50 ft-lbs torque): 2-year engine warranty for residential use; 90 days for commercial use.

30.00 PRO-XL

#CSR180EN

Our Top-of-the-line Chipper Shredder!

4-1/2" Chipping Capacity; 1-1/2" Shredding Capacity

BRIGGS & STRATTON 18 HP V-TWIN OHV ENGINE (30.00 ft-lbs torque) 3-year engine warranty for residential use or commercial use.

3-POINT HITCH

#CSR3PTTN

Harness the Power of your Tractor!

Our 3-point Hitch model Chipper Shredder instantly turn tree branches up to 4-1/2" thick into bushels of beautiful wood chip mulch. But these machines are also powerful shredders, with 48 free-swinging hammers that pulverize weeds, prunings up to 1-1/2" thick, and garden refuse to create nutrient-rich mulch and compost for gardens and flower beds.

Tractor Requirements: For Category 1, 3-Point hitch tractors.

All models shown with optional accessories.





CHIP BRANCHES UP TO 5 1/2" THICK

AND RID YOUR PROPERTY OF UNSIGHTLY BRUSH PILES!

With a DR® Rapid-Feed™ Chipper you can chip hardwood or softwood branches up to 5 1/2" thick (depending on the model). That's 2-3 inches more than most department store chippers can handle. Chip small trees and saplings whole with little or no trimming. Drop whole armfuls of small branches into the hopper at once. Brush and branches go in – clean, useful woodchip mulch comes out.

Now, you can turn brush pile eyesores into landscaping gold...keep your property and home tidier...and even improve the value of your land.

AIR INJECTION VENTING Air is drawn into the chipping chamber through vent holes on the side opposite the chipper inlet. This helps create a vacuum port on the hopper side of the chamber to help draw material in more easily. An exhaust port through the discharge chute allows for clog-free discharge. (Note: in over 300 hours of testing, DR Product Testing never experienced any clogging!)

PRO-SPEC™ CHIPPER KNIFE Made of high-carbon/high-chromium forged alloy tool steel, for exceptional strength and excellent edge-holding ability. This is the same type of steel used in industrial machine tools to cut other types of steel. Precision ground for sure, efficient cutting and long life.

SOLID STEEL FLYWHEEL Cut from heavy steel that's 3/4" thick, using the latest in high-definition plasma-cutting technology. The result is a perfectly balanced flywheel that weighs up

to 76.5 lbs. The massive size of this flywheel provides the inertia necessary to power through knotty, hardwood branches up to 5-1/2" thick.

OVERSIZED HOPPER accepts larger materials with more side branches. This saves tremendously on the time you spend pruning and preparing materials for chipping.

HEAVY-DUTY STEEL FRAME Many chippers look like they're built to sit in one place. Our DR® CHIPPERS are made to be on the move. We use rugged, welded steel frames so you can get your chipper wherever you need to be on your property.

PROTECTED BY A 2-YEAR WARRANTY All DR® CHIPPERS are guaranteed to be free from defects in materials and workmanship for 2 years in residential use; 90 days commercial use.



11.50 PREMIER #CPR115MN
Plenty powerful and the ideal size for smaller properties.

Chipping Capacity: 3-1/2" • Manual-Starting

BRIGGS & STRATTON 1150 OVERHEAD VALVE ENGINE (11.50 ft-lbs. torque):
2-year engine warranty for residential use; 90 days for commercial use.

16.50 PRO
#CPR165MN, #CPR165EN
Mid-size models pack extra power for fast chipping.

Chipping Capacity: 4-1/2" • Manual- or Electric-Starting

BRIGGS & STRATTON OVERHEAD VALVE ENGINE (16.50 ft-lbs torque):
2-year engine warranty for residential use; 90 days for commercial use.

30.00 PRO-XL #CPR300EN
High-speed V-Twin powerhouse makes fast work of monster brush piles.

With a powerful V-Twin engine, this chipper quickly devours branches up to 5-1/2" in diameter. Electric-Starting.

BRIGGS & STRATTON, VANGUARD V-TWIN, OVERHEAD VALVE ENGINE (30.00 ft-lbs torque): Cast-iron cylinder sleeves, fuel pump, oil pump with spin-on oil filter, electronic ignition, mechanical governor, dual element air filter, 56-ounce oil capacity, 9-quart fuel capacity. 3-year engine warranty for residential or commercial use.

3-POINT HITCH #CPR3PTRN
Mounted on the back of your tractor, the 3-Point Hitch model uses your tractor's power to quickly clear your property of unsightly brush piles. Just drop a branch in the hopper and let it chip, while you grab another. Most material will self-feed. Steel skid-type stands support the unit. Chips branches up to 4-1/2" thick.

Tractor Requirements:
65 HP maximum, 19 HP minimum. Fits all category 0 and 1 three-point hitches. Uses a quick-attach, self-adjusting PTO shaft for 1-3/8" 6-spline PTO with clockwise rotation.

All models shown with optional accessories.





SAFETY BRAKE/CLUTCH on every model means the cords stop spinning as soon as you let go of the bail bar, without stopping the engine.

PATENTED WIDE-BODY TRIMMER HEAD is guaranteed not to tangle — even when mowing thick, waist-high vegetation.

PATENTED CORD ATTACHMENT SYSTEM is the easiest ever developed. No tools, no knots required...plus you can choose from 5 cutting height adjustments (1.5" to 3.5") at the same time you attach your cords.

PROTECTED BY A 2-YEAR WARRANTY against defects in materials and workmanship in residential use; 90 days commercial use.

TRIM AND MOW THE EASY WAY.

GET 5X THE POWER OF HAND-HELD TRIMMERS!

Hand-held string trimmers are no match for the powerful DR® Trimmer Mower.

With a powerful engine, this machine has the muscle to mow stubborn weeds without wrapping or tangling. Gliding along on its front-mounted Mow-Ball® Support, the DR® Trimmer Mower maneuvers easily in any direction and quickly takes care of any trimming job. Precise control allows you to trim your entire property with beautiful results. And big, easy-rolling wheels support the machine...instead of your arms, neck and back.



SELF-PROPELLED MODEL WITH VARIABLE SPEED DRIVE DR's variable speed drive system lets you choose the trimming and mowing speed that's right for you. When the going is easy, charge ahead at full speed. For tougher conditions or precise trimming work, slow down and take your time. With our variable speed drive it's easy to match the drive speed to the terrain and conditions. Available only on the PRO-XL Self-Propelled model.



MOW FENCE LINES 3X FASTER!



ADJUSTABLE HEIGHT ANTI-SCALPING WHEEL keeps the mower from damaging your turf.

Mowing arm mows precisely around fence posts with spring-loaded action.



SPRING-LOADED MOWING ARM lets you adjust the amount of resistance against your fence posts. The circular guard rides around fence posts so you can cut back grass and weeds that can short out electric fences when wet.

23" DIAMETER STEEL GUARD Cut within 1/2" of fence posts!
1.5" – 3.5" CUTTING HEIGHT RANGE on the trimmer allows you to make precise cutting height adjustments.



ATTENTION TRACTOR OWNERS!

3-Point Hitch Fence Line Trimmer Mower

Cleaning up long fence lines can be a wearisome chore, and we've had many requests from DR Owners for a tractor-mounted PTO Trimmer Mower that would relieve them of the hours of "on your feet time" that long fences demand. That's why we're so excited to introduce our brand new 3-Point Hitch model Trimmer Mower. If you have a Category 1 3-point hitch, this is your answer to trimming and mowing fence lines, roadside ditches and other rough areas accessible to your tractor!



6.25 PREMIER

#TRM625MN, #TRM625EN

...our lightest, easiest-handling model.

14"-diameter resin wheels; 60 lbs. Manual-Starting; 67 lbs. Electric-Starting

6.25 BRIGGS & STRATTON (6.25 ft-lbs. torque);

1-quart fuel tank, 2-year engine warranty for residential use; 90 day for commercial use

7.25 PRO #TRM725MN, #TRM725EN

...clears tough weeds and tall grass with ease.

16"-diameter resin wheels; 65 lbs. Manual-Starting; 72 lbs. Electric-Starting

7.25 BRIGGS & STRATTON (7.25 ft-lbs. torque);

1-quart fuel tank, 3-year engine warranty for residential use; 1 year for commercial use

8.26 PRO-XL and PRO-XL SELF-PROPELLED

#TRM826EN, #TRM826SN

...more power for your toughest trimming jobs.

16"-diameter resin wheels; 71 lbs. Electric-Starting; 83 lbs. Self-Propelled Model

SUBARU EA190 OHC ENGINE (8.26 ft-lbs. torque);

1-quart fuel tank, 3-year engine warranty for residential use; 1 year for commercial use



3-POINT HITCH

#TRM3PTXN

...trimming has never been quicker and easier.

Tractor requirements: Category 1; 80" max wheel base; up to 45 horsepower range; 5 cutting heights from 1.5" to 3.5"; 22" cutting width; 220 lbs.

REMOVE RUTS, FILL IN POTHOLES

AND TURN YOUR ROUGH DRIVEWAY INTO A SMOOTH RIDE!

The DR® Power Grader works fast to loosen hardpacked roads, fill in potholes and ruts, shave off washboard, and grade your driveway smooth.

The Power Grader is easily towed behind your riding mower, ATV or tractor. The machine's long-wearing carbide-tipped steel scarifying teeth dig deep into the toughest surfaces. Loosened material is then spread by the rear leveling blade. The result is a smooth and level surface that looks great and is easy on you and your vehicle.

RUGGED STEEL FRAME is fabricated out of solid steel and powdercoated to resist rust and corrosion.

FRONT WHEELS raise to lift the scarifying teeth off the ground for easy transport or turning.

REAR WHEELS let the Power Grader ride along smoothly while grading or transporting.

SCARIFYING TEETH are long-wearing carbide-tipped steel. There are 12 teeth on the 48" model and 16 teeth on the 60" model.

WIRELESS REMOTE CONTROL allows you to make fine adjustments to the Power Grader from your towing vehicle.

LEVELING BLADE Together with the patented side rails, the leveling blade stays at a uniform height to provide level and uniform distribution of the material being spread.



17-AMP BATTERY holds enough charge for at least 800 up/down cycles of the actuator. Certainly enough juice for a weekend of work...possibly enough for an entire season!

DRAG SCREEN OPTION smooths out clumps and helps fill in hollows. Speeds up work and provides a nice, finished look.

POWERED ACTUATOR allows you to fine-tune the up and down motion of the Power Grader, to adjust for the traction of your towing vehicle, and for the hardness and slope of your driveway.

DUAL HITCH allows you to attach the grader to either a ball hitch...or to a pin hitch...depending on your towing vehicle.

PROTECTED BY A 2-YEAR WARRANTY against defects in materials and workmanship in residential use; 90 days commercial use.

48"-WIDE MODEL

#23247
Ideal for those with smaller towing vehicles or sloped driveways. With 12 carbide-tipped steel scarifying teeth, this model loosens hardpacked dirt and gravel to remove bumps and washboard and fill in potholes.

- SPECIFICATIONS**
- **Frame:** Steel
 - **Teeth:** Carbide-tipped Steel, 12
 - **Tires:** 8" diameter
 - **Length:** 102" (with tow hitch)
 - **Width:** 48" • **Weight:** 225 lbs.

60"-WIDE MODEL

#23250
Bigger grading jobs are completed faster with our 60"-wide Power Grader. With 16 carbide-tipped teeth, this model is just right for wide or extra long driveways, large parking lots, private roads, horse arenas and more. Weighing 25 pounds more than our 48" model, this model also has the extra heft to quickly penetrate especially hardpacked surfaces.

- SPECIFICATIONS**
- **Frame:** Steel
 - **Teeth:** Carbide-tipped Steel, 16
 - **Tires:** 8" diameter
 - **Length:** 108" (with tow hitch)
 - **Width:** 60"
 - **Weight:** 250 lbs.

RECOMMENDED TOWING VEHICLES:
ATVs, utility tractors, lawn and garden tractors. (Tractors: minimum 14 HP and/or 400 lbs. for the 48"-wide model; minimum 19 HP and/or 500 lbs. for the 60"-wide model.)

REMOVE ANY SIZE STUMP FAST!

With a DR® Stump Grinder you don't have to put up with any stump, no matter where it is on your property. And never again will you struggle with back-breaking and time-consuming methods of stump removal (digging by hand, ripping out with a tractor and chains, burning, chemicals).

Quickly and easily, the DR® Stump Grinder removes ANY size stump and reduces it to woodchips.



6 HP MODEL #STG060MN
...our lightest-weight, easiest-handling model.
125 lbs. • Manual-Starting

6 HP SUBARU ENGINE: Overhead cam, cast-iron cylinder sleeve, anti-vibration system, 3-year engine warranty for residential use; 1 year for commercial use.

9 HP MODEL #STG090MN, #STG090EN
...more power, for faster and smoother grinding.
138 lbs. • Manual- or Electric-Starting

9 HP SUBARU ENGINE: Overhead cam, cast-iron cylinder sleeve, anti-vibration system, 5-year engine warranty for residential use or commercial use.

CARBIDE-TIPPED TEETH HAVE 3 GRINDING POSITIONS The 8 teeth are mounted in pairs, and each tooth locks into one of 3 grinding positions. When the grinding surface gets dulled in one position, you simply rotate the tooth to the next position (takes just 30 seconds per tooth), and you've got a new sharp edge to work with. When all 3 edges are worn, replacing the whole tooth is quick and easy.

LOCKING HAND BRAKE KEEPS MACHINE IN PLACE Hand brake with locking brake lever operated from left hand grip. Brake locks one wheel in place providing a pivot point for sweeping cut motion.

FLIP-UP BELT COVER Protects the belt and pulleys, then flips out of the way for easy access. Self-adjusting belt tensioner eliminates need for operator adjustment.

PROTECTED BY A 2-YEAR WARRANTY against defects in materials and workmanship in residential use; 90 days commercial use.

MOVE UP TO 800 LBS. WITH SELF-PROPELLED POWER

AND MAKE ANY HAULING JOB EASIER!

The DR® Powerwagon is built for heavy hauling on sloping property, rough terrain, and soft ground where it's difficult to push or pull wheelbarrows or garden carts. Multiple speeds let you gear down for climbing long hills...or you can shift into high gear for traveling to your worksite. With the DR® Powerwagon, hauling rocks, firewood, topsoil, gravel, and building materials is easier than you ever thought possible.

CENTRIFUGAL CLUTCH for gradual acceleration or deceleration.

PANEL-MOUNTED CONTROLS with engine shut-off, key switch, and gearshift lever.

LATCHING DUMP BED — Simply release by disengaging the easy-to-use lever and the entire cargo bed dumps forward for easy unloading.

WOOD CARGO BED with quick-detach 1"-steel posts. Converts to a versatile flatbed hauler in seconds.

SAFETY FEATURES include disc brake with parking latch for stable loading/unloading; throttle release automatically returns engine to idle.

PROTECTED BY A 2-YEAR WARRANTY against defects in materials and workmanship in residential use; 90 days commercial use.

HAND BRAKE stabilizes the machine while being loaded or unloaded.

TRIGGER GRIP THROTTLE for easy fingertip control.

REAR CASTER WHEEL pivots 360 degrees for easy turning in any direction.

POWER REVERSE provides great maneuverability — especially in tight quarters.

DIFFERENTIAL TURNING allows the front wheels to rotate at different speeds for easy turning, even under the heaviest loads.

NEUTRAL GEAR allows you to easily move the machine without having to start the engine.

FRAME is welded, 1"-diameter, 11-gauge, cold-rolled, steel tubing with baked-on powder coat finish.

6.75 PRO MODEL



6.25 PREMIER

#PRW625EN

The same frame, transmission, and wheels as the PRO model.

The major difference is the PREMIER comes standard with a durable, molded, high-density polyethylene bed...and does not include the 100 lb. weight rack. Practical for any load, including mixing and carrying concrete.
• Capacity: 5.2 cu. ft., 500 lbs. • 4 speeds forward, 1 reverse • 4.7 mph max. speed • 195 lbs. • Electric-Starting.

BRIGGS & STRATTON 625 SERIES ENGINE (6.25 ft-lbs torque): 2-year engine warranty for residential use; 90 days for commercial use.

6.75 PRO

#PRW675MN,

#PRW675EN

The ideal choice for large properties.

Built for any hauling job, but is especially good for really heavy loads of firewood, stone, gravel, or soil. Rugged southern yellow pine Stake Bed with 5/8" exterior grade plywood floor. Addition of 100 lb. weight rack for added traction enables this model to haul up to 800 lbs.
• Capacity: 5.9 cu. ft. • 4 speeds forward, 1 reverse • 4.7 mph maximum speed • 330 lbs. (includes 100 lb. extra-traction weight rack) • Manual- or Electric-Starting.

BRIGGS & STRATTON 675 SERIES ENGINE (6.75 ft-lbs torque): cast-iron cylinder sleeve. 2-year engine warranty for residential use; 90 days for commercial use.

6.75 PRO PACKAGE #PRW675PN

Get our best-selling PRO model with all its options.

We start with the PRO model DR® Powerwagon. We then add an electric starter, a battery charger, a Molded Bed in addition to the standard Stake Bed, the popular Powered Lift — for fast unloading at the push of a button — and Tire Chains for extra traction. Order this fully-loaded model at a special package price.



THE ULTIMATE OFF-ROAD TRAILER

Built for the long haul.

With the DR® Versa-Trailer we set out to reinvent the utility trailer. We've thought of just about everything to make it the most COMPLETE hauler on the market.

OUR 1-TON MODEL

Features a boom lift that lets you hoist heavy objects from either side of the trailer plus side stabilizers to steady the trailer for loading and unloading. The dump bed converts to a stake body for carrying logs or other long loads. The tandem wheels (on a pivoting axle) let you "walk" over downed trees and other obstacles.



THE 1/2-TON MODEL

Our simplified, smaller trailer. With available options, it's just about as versatile as our 1-Ton model for customers who don't require the boom lift. Easy to dump by hand. Add winch kit for added ease with heavy loads or skidding.



1/2 TON MODEL #30366

For Lighter Hauling Needs

SPECIFICATIONS

- Hauling Capacity: 1000 lbs.
- Dumping Capacity: 650 lbs.
- Dump Angle: 35°
- Bed Dimensions: 57.3L x 35.7W x 18.1H

1 TON MODEL #30831

For Your Toughest Hauling Jobs

SPECIFICATIONS

- Hauling Capacity: 2000 lbs.
- Dumping Capacity: 1000 lbs.
- Crane Lifting Capacity: 440 lbs.
- Dump Angle: 35°
- Bed Dimensions: 79L x 42W x 23.5H

OPTIONAL ACCESSORIES

WALL EXTENDERS (Both Models) Higher walls contain materials and let you pile them higher.

WINCH KIT (1/2-Ton) Assists with dumping heavy loads and allows you to skid logs and other objects into the cargo bed.

PIVOTING JACK STAND (1/2-Ton) Holds trailer level when your ATV is elsewhere. Raises and lowers bed for easy hitching. Pivots out of the way during transport.

ELECTRIC HOIST (1-Ton) This 12-volt DC battery-powered hoist saves man-power and makes quick work of difficult loading and pulling jobs. 1500 lb. capacity.

TOOL HOLDER (1-Ton) Durable, flexible grips cushion and protect while providing a custom grip for tools.

CHAINSAW HOLDER (1-Ton) Secure and protect your chainsaw when traversing rough terrain. Saw is held in place with a secure bungee tie-down.

REAR TOW HITCH (1-Ton) Lets you hitch another piece of equipment (e.g., a log splitter) to the trailer.

TAKE A SEAT. NOW YOU CAN TILL WHILE YOU RIDE!

TILLS A PATH 3-FEET WIDE — TWICE THE
WIDTH OF WALK-BEHIND TILLERS!

Because you tow the DR® Roto-Hog™ Power Tiller, the full power of its overhead valve Briggs & Stratton engine (9.00 ft/lbs torque) is dedicated to the real task at hand...tilling the soil. Unlike walk-behind tillers, no engine power is wasted moving this tiller forward. Your towing vehicle does that, and with its weight, actually helps hold the tiller back.

The result is the DR® Roto-Hog™ Power Tiller will till unbroken ground, including tough sod, in a fraction of the time required by any walk-behind tiller.

Even better, it is twice as wide as most ordinary tillers and applies twice the tine coverage. That means faster, more thorough tilling, with none of the strain associated with tillers that require sheer strength to control them. Instead, you just ride and relax.



POWERED SPREADER ATTACHMENT

This spreader can be turned on and off remotely, from your towing vehicle. Carries up to 125 lbs. of fertilizer, lime, or seed. *PRO Model Only.*



AGRICULTURAL-STYLE CULTI-PACKER ATTACHMENT

Use this attachment after seeding to maximize seed-to-soil contact and dramatically increase germination rates. Excellent for planting cover crops, grass seed, and food plots. *PRO Model Only.*



HILLER ATTACHMENT

Now you can add 2-3 weeks to your growing season, every year. Attach the Hiller to your machine and it will mound up soil into perfect raised beds. *PRO Model Only.*



PREMIER MODEL #TPT90XMN

Tow the Roto-Hog™ Premier Power Tiller behind your ATV, riding mower, or tractor and you'll break ground and turn soil faster and easier than you ever thought possible!

BRIGGS & STRATTON 900 SERIES ENGINE (9.0 ft-lbs torque): Manual-Starting, overhead valve, cast-iron cylinder sleeve, 2 year engine warranty for residential use; 90 days for commercial use.

- Manual lever allows you to control tilling depth
- Shock absorbing hitch absorbs jolts for a smoother ride

PRO MODEL #TPT900MN, #TPT900EN

Till a 3' wide path, while you ride! Control tilling depth from your seat by remote control. Tow with riding mower, ATV or compact tractor. Tilling was never this easy!

BRIGGS & STRATTON 900 SERIES ENGINE (9.0 ft-lbs torque): Manual- or Electric-Starting, overhead valve, cast-iron cylinder sleeve, 2 year engine warranty for residential use; 90 days for commercial use.

REMOTE CONTROL

The Remote Control rides with you on your towing vehicle and connects to the tiller with a heavy-duty cable. Use it to raise and lower the tines, and to operate the optional Powered Spreader and Culti-Packer Attachments. On the electric-start model, you can start and stop the engine with the Remote Control.

POWERED DEPTH CONTROL

You can raise or lower the tilling depth from 1" to 7.5" with the push of a button, remotely from your towing vehicle. You can also raise the tines completely off the ground, for easy turning or transport.

SMOOTH-TRAK™ HITCH

Spring-loaded hitch absorbs shocks so that forward motion from the tiller is not transmitted directly to the towing vehicle and operator, for smoother, easier operation.

SINGLE POINT PIN HITCH

The tiller attaches quickly and easily, without lifting, to any pin-type hitch. Just use the Remote Control to raise/lower the tiller's tongue to the height of your vehicle's hitch.

EXTRA HEAVY-DUTY CONSTRUCTION

The frame is constructed of 1.5" square, 12-gauge steel. The tine shroud is made of 13-gauge steel.

PROTECTED BY A 2-YEAR WARRANTY

against defects in materials and workmanship in residential use; 90 days commercial use.

PROFESSIONAL POWER DONE RIGHT

THE FIRST PROFESSIONAL-QUALITY LAWN AERATOR DESIGNED FOR HOMEOWNERS!

Aerate your lawn in fall and spring for a greener, hardier lawn! The self-propelled DR® Lawn Aerator pulls 2"-3" plugs of turf, thatch, and soil at four-inch intervals as it travels across your lawn. It's easy to handle and navigates right around trees and obstacles. The holes left behind reduce soil compaction and allow for better absorption of water, fertilizer and nutrients. The result: a healthy root system that produces beautiful, robust grass.



DR LAWN AERATOR

8.00 FPT #AER800MN, #AER800EN

Take your lawn to the next level with regular aeration. The DR is a pro-style coring aerator that pulls out 2-3" plugs, channelling moisture and nutrients to the roots.

SPECIFICATIONS

- **Engine:** 205cc Briggs & Stratton OHV 2-year warranty residential, 1-year commercial
- **Tines:** Cast iron, 3 (includes replacement core-punch ends)
- **Tine Spacing:** 4"
- **Tires:** 10" diameter
- **Weight:** 232 lbs Manual Start, 248 lbs Electric Start

CAST IRON CRANKSHAFT synchronizes the tines, ensuring evenly spaced cores. Each tine is angled to cleanly extract a 5/8" diameter plug of soil and automatically eject it.

EXTENDED-LIFE ENGINE The 205cc Briggs & Stratton OHV engine provides 8 Ft-lbs Torque to the cam shaft drive. Available in manual or electric start, these engines are manufactured for extended life and smooth operation, even after years of use.

GENTLE TURF TIRES Steel rims and solid rubber tires provide necessary traction without leaving behind treadmarks. Because self-propelled drive comes from the cams themselves, these tires can be smoother than on ordinary outdoor power equipment. The result is a neater looking lawn after aeration.

SELF-PROPELLED design sets a comfortable pace of 2.5mph as soon as you engage the bail handle. Power from the engine is focused on the unique cam engine that propels the unit and drives the coring tubes. Maneuverability is easier than larger industrial units.

CAPABLE OF CUTTING HUNDREDS OF TREES PER HOUR!

THE FASTEST, EASIEST WAY EVER, TO HALT THE SPREAD OF INVASIVE TREE SPECIES

Create fire breaks, clear trails, and fight back against invasive species like junipers, cedars, and mesquite. The TreeChopper™ attaches to the front of your ATV in just minutes after initial setup. Just drive into tree trunks up to 4" in diameter and the patented blades slice it off, leaving no stump or sharp edges for you or livestock to trip over. A steel guard keeps trees clear of the operator.



#31169

Much like a pipe cutter cuts metal with minimal effort, patented blades easily slice through tree trunks up to 4" thick!



5 BLADES SHEAR OFF THE TRUNK If you've ever used a pipe cutter, that's the best way to explain the magic of the TreeChopper's design. First, two fixed "finder" blades guide the tree into the jaws of the TreeChopper. Next, rotating blades slice through the trunk. A trailing fifth blade leaves stumps flush to the ground.

AT LEAST 25 TIMES FASTER THAN A CHAINSAW To cut small trees using a chainsaw, you're forced onto your hands and knees, and you risk dulling your chain or injuring yourself if it hits the dirt. With the DR® TreeChopper™, you simply drive your ATV to within a few feet of the tree, line it up, and accelerate through the tree. That's it! There's no stooping or bending, and it's all done from the comfort of your ATV. Patented design fells trees safely out of the way.

CUTS FLUSH TO THE GROUND The DR TreeChopper leaves a stump as little as 1/4" high, so there's very little chance of the tree re-growing. Your cleared land is ready for immediate use.

4 different ATV Frame Mounts to choose from.



COLLECT ACRES OF LEAVES WHILE YOU RIDE!

With the DR® Leaf and Lawn Vacuum you can reduce an annual chore that used to take days down to mere hours. The inlet hose on the Leaf and Lawn Vacuum attaches to the discharge chute of your riding mower's deck. A massive impeller creates an 85 mph suction force that instantly cleans your lawn of leaves, grass clippings, pine needles and other yard debris. The debris is then chopped into a fine mulch (up to 1/10th its original volume!) and deposited into a hopper that's easy to dump when your work is done.

POLYETHYLENE COLLECTOR BOX is rugged, impervious to weather, and knocks down easily for storage.

PATENTED SHARK TEETH™ IMPELLER BLADES shred vacuumed material to as much as 1/10th its original volume!

PATENTED CENTRIFUGAL SEPARATOR™ uses centrifugal force to deposit materials into the collector box with little or no allergy-causing dust expelled into your working environment.

WELDED STEEL IMPELLER is so strong it carries a Lifetime Warranty against bending or breaking!

BUILT-IN CHIPPER on select models handles branches up to 2 inches in diameter.

PROTECTED BY A 2-YEAR WARRANTY against defects in materials and workmanship in residential use; 90 days commercial use.



13.74 PRO-XL MODEL WITH CHIPPER

8.00 PREMIER

#LLV080MN, #LLV080EN
Capacity: 245 gallons • Chipping Capacity: Chipper not available with this model • Manual- or Electric-Starting



9.00 PRO WITH CHIPPER

#LLV090MN, #LLV090EN
Capacity: 306 gallons • Chipping Capacity: 2" diameter • Manual- or Electric-Starting



BRIGGS & STRATTON 900 SERIES ENGINE (9.0 ft-lbs torque): Overhead valve, cast-iron cylinder sleeve, 2 year engine warranty for residential use; 1 year for commercial use.

13.74 PRO-XL WITH CHIPPER

#LLV13XEN
The models of choice for really big lawns and professional use. Or for those who simply want the best.

Extra capacity allows you to collect more leaves before unloading. Plus, the extra power means improved suction in all conditions, so you can go faster. Features a pivoting pin hitch for excellent maneuverability in tight spots. Capacity: 306 gallons • Chipping Capacity: 2" diameter



SUBARU ENGINE (13.74 ft-lbs torque): Overhead cam, cast-iron cylinder sleeve, 5-year engine warranty in residential or commercial use. Electric-Starting. This is the very best air cooled engine we've ever tested. Packed with long-life features and designed to produce more power than standard engines in its class. Truly professional grade.

BIG LEAF-COLLECTION FOR MODERATE SIZED YARDS

For smaller yards, and extra hilly property this is your go-to machine.

Thanks to an especially powerful engine, the Self-Propelled DR® Leaf and Lawn Vacuum has tremendous suction to collect leaves, grass clippings, pine cones, and more. Leaves are reduced 6 to 1, for extra capacity. In highly-landscaped areas, our Self-Propelled model gets up close to flower beds and shrubs, and works tight along foundations, stone walls and fences. And at just 28" wide you can even squeeze through garden gates, for complete property cleanup.

3 FORWARD SPEEDS & REVERSE Select the pace that's right for you and the terrain. You'll effortlessly glide along on the open areas of your lawn or charge up hills, even with a full load.

UP TO 6-TO-1 VOLUME REDUCTION Dry, brittle leaves break down as they're vacuumed. This allows you to collect up to 6 bushels of leaves and fit them in the space of 1 bushel. Volume reduction is less when leaves have just dropped or if the leaves are wet.

LIFETIME SOLID STEEL IMPELLER is similar to the impeller used on our Tow-Behind models. Spins at 3,250 rpm to create a 123 mph suction speed. Guaranteed against damage or defects for as long as you own the LEAF and LAWN VACUUM.

ELECTRIC-START The electric-start model has an on-board battery that recharges during use, for instant starts with a turn of a key.

A BUILT-IN CHIPPER ZIPS THROUGH BRANCHES UP TO 2" THICK. Don't let brush pile up. Take care of storm damage and prunings, and get bushels of beautiful woodchip mulch.

POWERFUL 11.50 SERIES BRIGGS & STRATTON ENGINE WILL NEVER LEAVE YOU WANTING MORE This high performance engine is far more powerful than engines found on other walk-behind lawn vacs. And it's that extra power that gives the DR® LEAF and LAWN VACUUM tremendous vacuum suction for unbeatable performance.

PROTECTED BY A 2-YEAR WARRANTY against defects in materials and workmanship in residential use; 90 days commercial use.

SHOWN WITH OPTIONAL HOSE ATTACHMENT

ELECTRIC-STARTING MODEL



11.50 SELF-PROPELLED

#WLL115MN, #WLL115EN

For hilly property, large or small yards and uneven terrain, the self-propelled DR® Leaf and Lawn Vacuum can't be beat.

Just select your speed, squeeze the lever and go. All you need to do is steer, while walking along at a pace that suits you and the terrain. Getting started is easy, too. The manual-start model starts easily, usually on the first pull. Or choose the electric start model and you're just a turn of a key away from being ready to go.

• Manual- or Electric-Starting

BRIGGS & STRATTON 1150 SERIES ENGINE (11.50 ft-lbs torque):

Overhead valve, cast-iron cylinder sleeve, 2 year engine warranty for residential use; 90 days for commercial use.



OPTIONAL VACUUM HOSE GETS HARD-TO-REACH SPOTS. If there's a spot you can't reach with the Leaf and Lawn Vacuum, you can get to it with the optional Vacuum Hose. Hose picks up any type of organic debris — including pine cones, twigs, and nuts — from under shrubs or decks, in window wells, or in gardens and flower beds.



LAWN AERATOR

	Maintenance Kit
30198	Tine Kit
15681	Protective Cover
19945	Maintenance Hour Meter

RAPID-FEED™ CHIPPERS

28815	Acc. Value Pack Pro & 3pt Hitch*
28816	Acc. Value Pack Pro-XL*
19945	Maintenance Hour Meter Kit
25082	Protective Cover- Rapid Feed Models Only
24401	Extended Discharge Chute, 3pt Hitch 16.50 PRO-30.00 COM
24402	Road-Towing Pkg 16.50 PRO & 30.00 COM
24409	Pin-Hitch Package, CP3 11.50 PREMIER
	Maintenance Kit
24410	Knife Kit, CP3 11.50 PREMIER
24412	Knife Kit, CP3 16.50 PRO & 3PT Hitch
24413	Knife Kit, CP3 30.00 COMMERCIAL

* Accessories Value Package Include: Extended Discharge Chute and Replacement Chipper Knife

CHIPPER SHREDDERS

140051	Tow Stand (14.50 Pro Model Only)
140061	Tow Handle (14.50 Pro Model Only)
	Maintenance Kit

FIELD AND BRUSH MOWERS

ATTACHMENTS	
15174	42" Lawn Mower Attachment (2) Blades
19062	30" Snow Thrower - Single Stage
15750	42" Snow / Grader Blade
25173	Chipper Attachment - (3.5" Cap.)
WALK-BEHIND MODELS	
28817	Accessories Value Pack 12.5 Premier **
31900	Accessories Value Pack 12.5 Pro **
29619	Accessories Value Pack 14.5 Pro **
TBD	Accessories Value Pack 16.5 Pro **
34872	Accessories Value Pack 20.0 Pro-XL w-26"deck **
34874	Accessories Value Package 20.0 Pro-XL w-30" deck **
10049	26" Heavy Duty Brush Blade
16631	30" Heavy Duty Brush Blade
	Maintenance Kit
18427	Maintenance Hour Meter
15789	Light Kit
14852	Bladeless Mowing Attachment
14849	Cord - Roll 170 Mil
15652	Tire Chains
15681	Protective Cover, Walk Behind Model
17927	Snow Thrower Drift Cutters (2)
TOW-BEHIND MODELS	
32932	Accessories Value Pack 12.5 Premier **
34882	Accessories Value Pack 16.5 Pro **
34884	Accessories Value Pack 20 Pro-XL **
22898	Blade Kit w/2 Blades & Hardware
24292	Protective Cover Kit, Tow Behind
19945	Maintenance Hour Meter - Tow Behind Models
23390	Control Extension UTV kit
	Maintenance Kit

** Accessories Value Package Include: Maintenance Kit, Maintenance Meter and Extra Blade

LEAF AND LAWN VACUUMS

19945	Maintenance Hour Meter
	Maintenance Kit
WALK-BEHIND MODELS	
28422	Vacuum Hose, Walk Behind
15681	Protective Cover, Walk Behind
TOW-BEHIND MODELS	
28410	Dual Point Hitch
28399	Universal Deck Adapter
28070	Vacuum Hose, Tow Behind
28254	Mulch Discharge Hose
28400	Extra Hose & Brace Kit
27909	LL1 Protective Cover

LOG SPLITTERS

	Maintenance Kit
RAPIDFIRE™ MODELS	
32130	Work Table RapidFire™
33442	Ball Hitch Kit, Rapid Fire
DUAL-ACTION MODELS	
29516	Electric to Gas Conversion Kit
29517	Gas to Electric Conversion Kit
29518	Road Tow Kit for Dual Action
19945	Maintenance Hour Meter
HORIZONTAL/VERTICAL MODELS	
33969	4 Way Wedge
19945	Maintenance Hour Meter
34594	Protective Cover, Horizontal/Vertical Models

POWERGRADERS

21086	Drag Screen, 48 in
22686	Drag Screen, 60 in
22924	Scarifying Teeth, 1 Bar/12 Teeth, 48" model
22925	Scarifying Teeth, 1 Bar/16 Teeth, 60" model
23404	Protective Cover, Power Grader

POWERWAGONS

10004	Molded Body
21593	Tire Chains, Power Wagon
15682	Protective Cover
19726	Powered Lift for Electric Start Pro Model
19945	Maintenance Hour Meter
	Maintenance Kit

STUMP GRINDER

30505	Set of Grinding Teeth
15804	Protective Cover
	Maintenance Kit

ROTO-HOG™ POWER TILLER

26754	Cultipacker
23275	Spreader
23648	Maintenance Kit
25017	Drag Stake Kit
26087	Hiller

TREECHOPPER™

31956	Round Tube Frame Kit
31957	Square Tube Frame Kit
31958	Polaris Frame Kit
31959	Beam Frame Kit
31193	Blade Kit, Tree Chopper

TRIMMER MOWERS

19727	Trimmer Value Pack #1 - incl. 12" Beaver Blade, 1 Roll 175mil cord, Maint. Kit, Maintenance Hour Meter
27757	Trimmer Value Pack #2 - Cord Caddy, Roll 175 mil cord, Tree Guard, Oil Extractor
33096	12" Beaver Blade/Alum. Mow-Ball/File
33100	12" Beaver Blade - blade only
31317	DR DuraBlade Complete Kit
30440	DR DuraBlade Replacement Blade Kit (set of 6 blades)
31451	DR DuraBlade Power Pak (set of 18 blades)
32186	TrimSafe Guard
32180	Cord Caddy
19660	Cord - Roll 175 Mil - Blue 80ft.
19659	Cord - Roll 155 Mil - Green 100ft.
19658	Cord - Roll 130 Mil - Orange 120ft.
32181	Cord - Cut - 175 Mil Blue (24 pc.)
32182	Cord - Cut - 155 Mil Green (24 pc.)
19945	Maintenance Hour Meter
15804	Protective Cover

VERSA-TRAILER™

1/2-TON MODELS	
30373	1/2 Ton Wall Extender
30473	1/2 Ton Winch Kit
30380	Trailer Jack Stand - 1/2 ton only
31490	Accessory Package - 3 items above
1-TON MODELS	
31351	1-Ton Electric Hoist
31847	Versa-Trailer Tool Holder
31850	Versa-Trailer Chainsaw Holder
30487	Wall Extender Kit, 1-Ton
31850	Rear Tow Hitch Kit

EXTENDED WARRANTIES & MAINTENANCE KITS AVAILABLE FOR ALL MACHINES

